INTERNATIONAL UNION OF PURE AND APPLIED CHEMISTRY

ANALYTICAL CHEMISTRY DIVISION

COMMISSION ON ANALYTICAL NOMENCLATURE*

in conjunction with

INTERNATIONAL CONFEDERATION FOR THERMAL ANALYSIS

NOMENCLATURE COMMITTEE[†]

NOMENCLATURE FOR THERMAL ANALYSIS—II & III

(Recommendations 1979)

Prepared for publication by
G. G. GUILBAULT
University of New Orleans, Lake Front, LA 70122, USA

Chairman: H. ZETTLER (FRG); Secretary: G. G. GUILBAULT (USA); Titular Members: D. DYRSSEN (Sweden); H. FREISER (USA); G. F. KIRKBRIGHT (UK); S. P. PERONE (USA); N. M. RICE (UK); G. SVEHLA (UK); Associate Members: D. BETTERIDGE (UK); R. W. FREI (Netherlands); H. M. N. H. IRVING (UK); D. KLOCKOW (FRG); W. SIMON (Switzerland); A. TOWNSHEND (UK); National Representative: A. M. SHAMS EL-DIN (Egypt)

†Chairman: R. C. MACKENZIE (UK); Secretary: C. J. KEATTCH (UK); Members: T. DANIELS (UK), D. DOLLIMORE (UK), J. A. FORRESTER (UK), A. A. HODGSON (UK), J. P. REDFERN (UK), J. H. SHARP (UK)

^{*}Membership of the Commission during the period 1977-79 in which the report was prepared was as follows:

NOMENCLATURE FOR THERMAL ANALYSIS - II & III

INTRODUCTION

It is noted with great satisfaction by the Commission that the first rules approved in 1973 and published in <u>Pure and Applied Chemistry</u>, <u>37</u>, 439 (1974) have been completed by further reports prepared by the Nomenclature Committee of the International Confederation for Thermal Analysis (ICTA).

Since compiling the first report, the ICTA Committee have actively been considering other aspects of thermal analysis that require attention. They have produced two further reports which appeared in $\underline{\text{Talanta}}$, $\underline{19}$, 1079 (1972) and in $\underline{\text{J. Therm. Analysis}}$, 8, 197 (1975).

Both reports have been duly considered at various meetings of the present Commission which endorses the following integration of the above reports and recommendations made by the ICTA.

1. AMPLIFICATION OF FIRST REPORT

Because of the variety of opinions expressed on, and the different interpretations of, the term pyrolysis, the Committee considered the time inopportune to promulgate on thermal decomposition and related terms - see First Report, Section I (f).

Some confusion appears to have arisen over the term isobaric weight-change determination as defined in the First Report, Section IIIB, Sub-section 1. The Committee consider that this confusion could be obviated by the following statement.

In the context of the report published in <u>Talanta</u>, <u>16</u>, 1227 (1969) Section IIIB, Sub-sections 1 and 2 headed, respectively, <u>Static</u> and <u>Dynamic</u>, these terms refer to environmental temperature. It should be noted that the same terms are also used with reference to environmental atmosphere.

The definition of <u>differential scanning calorimetry</u> in the First Report applies only when power-compensation instruments are used and no definition has been proposed to cover the use of heat-flux instruments: in French the two have been clearly distinguished. The Committee also recognize that there has over the past few years been increasing use of differential thermocouples for measurements under isothermal external conditions. It is therefore recommended that the following two terms and definitions be added to those in the First Report:

Quantitative differential thermal analysis (quantitative DTA).

This covers those uses of DTA where the equipment is designed to produce quantitative results in terms of energy and/or other physical parameters. The record should be plotted in the same manner as a normal DTA curve.

Differential thermal analysis (DTA) in an isothermal environment.

A variant of DTA in which the temperature difference between a substance and a reference material is continuously recorded vs time as the two specimens are maintained in a nominally isothermal environment. The record should be plotted in the same manner as a normal DTA curve.

The term isothermal DTA is incorrect and the abbreviation QDTA is considered not to be warranted.

In view of recent developments, the brief comments on <u>multiple techniques</u>, simultaneous and combined, in the First Report require clarification and the following names and definitions have been approved.

 $\underline{\text{Simultaneous techniques}}$. This term covers the application of two or more techniques to the same sample at the same time - e.g. simultaneous thermogravimetry and differential thermal analysis.*

<u>Coupled simultaneous techinques</u>. This term covers the application of two or more techniques to the same sample when the two instruments involved are connected through an interface† - e.g. simultaneous differential thermal analysis and mass spectrometry.

Discontinuous simultaneous techniques. This term covers the application of coupled techniques to the same sample when sampling for the second technique is discontinuous-e.g. discontinuous simultaneous differential thermal analysis and gas chromatography, when discrete portions of evolved volatile(s) are collected from the sample situated in the instrument used for the first technique.

II. DTA AND TG APPARATUS AND TECHNIQUE

In considering the terms available, certain arbitrary choice have had to be made - e.g. between $\underline{\text{specimen}}$ and $\underline{\text{sample}}$ - but the only term in fairly common use rejected is $\underline{\text{inert}}$ material.

A. DTA

The sample is the actual material investigated, whether diluted or undiluted.

The $\underline{\text{reference material}}$ is a known substance, usually inactive thermally over the temperture range of interest.

The specimens are the sample and reference material.

The sample holder is the container or support for the sample.

The reference holder is the container or support for the reference material.

The <u>specimen-holder assembly</u> is the complete assembly in which the specimens are housed. Where the heating or cooling source is incorporated in one unit with the containers or supports for the sample and reference material, this would be regarded as part of the specimen-holder assembly.

A \underline{block} is a type of specimen-holder assembly in which a relatively large mass of material $\overline{1s}$ in intimate contact with the specimens or specimen holders.

^{*} In writing, the names of simultaneous techniques should be separated by 'and' when used is full and by a hyphen when abbreviated acceptably - e.g. simultaneous TG-DTA. Unless contrary to established practice, all abbreviations should be written in capital letters without full-stops.

[†] A specific piece of equipment that enables two instruments to be joined together.

In coupled simultaneous and discontinuous techniques, the first technique to be mentioned is that in which the first, in time, measurement is made - e.g. when a DTA instrument and a mass spectrometer are connected through an interface, DTA-MS is the correct form, not MS-DTA.

The <u>differential thermocouple</u>* or ΔT thermocouple* is the thermocouple* system used to measure temperature difference.

B. TG

A $\underline{\text{thermobalance}}$ is an apparatus for weighing a sample continuously while it is being heated $\underline{\text{or cooled.}}$

The sample is the actual material investigated, whether diluted or undiluted. †

The sample holder is the container or support for the sample.

C. DTA and TG

The temperature thermocouple* or T thermocouple* is the thermocouple* system used to measure temperature; its position with respect to the sample should always be stated.

The <u>heating rate</u> is the rate of temperature increase, which is customarily quoted in degrees per $\overline{\text{minute}}$ (on the Celsius or Kelvin scales). The heating or cooling rate is said to be constant when the temperature/time curve is linear.

In simultaneous DTA-TG, definitions follow from those given for DTA and TG separately.

III. DTA AND TG CURVES

The Committee, in reaffirming their decision to use the terms $\underline{\text{differential thermal curve}}$ or $\underline{\text{DTA curve}}$, thermogravimetric curve or $\underline{\text{TG curve}}$ and $\underline{\text{derivative thermogravimetric curve}}$ or $\underline{\text{DTG curve}}$, recommend disuse of the other terms which have appeared in the literature, such as thermogravimetric analysis curve, thermolysis curve, thermoweighing curve, thermogravigram, thermoponderogram, thermogram, differential thermogravimetric curve, differential thermogram, derivative thermogram, polytherm, etc.

Certain conventions and reporting procedures for DTA and TG curves have already been specified in $\underline{\text{Analyt. Chem.}}$, $\underline{39}$, 543 (1967), and in the First Report. The following definitions are to be read in conjunction with these recommendations.

A. DTA

In DTA it must be remembered that although the ordinate is conventionally labelled $\Delta \underline{T}$ the output from the $\Delta \underline{T}$ thermocouple will in most instances vary with temperature and the measurement recorded is normally the e.m.f. output, \underline{E} - i.e. the conversion factor, \underline{b} , in the equation $\Delta \underline{T} = \underline{b}\underline{E}$ is not constant since $\underline{b} = \underline{f}(\underline{T})$. A similar situation occurs with other sensor systems.

All definitions refer to a single peak such as that shown in Fig. 1: multiple peak systems, showing shoulders or more than one maximum or minimum, can be considered to result from superposition of single peaks.

The <u>base line</u> (AB and DE, Fig. 1) corresponds to the portion or portions of the DTA curve for which ΔT is approximately zero.

A $\underline{\text{peak}}$ (BCD, Fig. 1) is that portion of the DTA curve which departs from and subsequently returns to the base line.

^{*} Should another thermosensing device be used, its name should replace thermocouple.

[†] Samples used in TG are normally not diluted, but in simultaneous TG-DTA diluted samples might well be used.




Fig. 1 Formalized DTA curve

An endothermic peak or endotherm is a peak where the temperature of the sample falls below that of the reference material; that is, ΔT is negative.

An exothermic peak or exotherm is a peak where the temperature of the sample rises above that of the reference material; that is, $\Delta \underline{T}$ is positive.

 $\underline{\text{Peak width}}$ (B'D', Fig. 1) is the time or temperature interval between the points of departure from and return to the base line.*

<u>Peak height</u> (CF, Fig. 1) is the distance, vertical to the time or temperature axis, between the interpolated base line* and the peak tip (C, Fig. 1).

 $\underline{\underline{Peak \ area}}$ (BCDB, Fig. 1) is the area enclosed between the peak and the interpolated base line.*

The $\underline{\text{extrapolated onset}}$ (G, Gig. 1) is the point of intersection of the tangent drawn at the point of greatest slope on the leading edge of the peak (BC, Fig. 1) with the extrapolated base line (BG, Fig. 1).

B. TG

All definitions refer to a single-stage process such as that shown in Fig. 2: multi-stage precesses can be considered as resulting from a series of single-stage processes.

^{*} There are several ways of interpolating the base line and that given in Fig. 1 is only an example. Location of points B and D (Fig. 1) depends on the method of interpolation of the base line.




Fig. 2 Formalized TG curve

A $\underline{\text{plateau}}$ (AB, Fig. 2) is that part of the TG curve where the mass is essentially constant.

The <u>initial temperature</u>, \underline{T}_i , (B, Fig. 2) is that temperature (on the Celsius or Kelvin scales) at which the cumulative mass change reaches a magnitude that the thermobalance can detect.

The <u>final</u> temperature, \underline{T}_f , (C, Fig. 2) is that temperature (on the Celsius or Kelvin scales) at which the cumulative mass change reaches a maximum.

The <u>reaction interval</u> is the temperature difference between $\underline{\textbf{T}}_f$ and $\underline{\textbf{T}}_i$ as defined above.