Overall view of cyclic polycalicenyls

Toyonari Sugimoto and Zen-ichi Yoshida

Department of Synthetic Chemistry, Kyoto University, Yoshida, Kyoto 606, Japan

Abstract - Cyclic bicalicene (1a) and bicyclic tercalicene (2a), and their bis(tert-butylthio)-substituted derivatives (1b and 2b), and bis(tert-butylthio)-substituted derivative (3b) of tricyclic tetracalicene (3a) were synthesized, in which two, three and four calicene units are joined in a head-to-tail manner, respectively. The X-ray structure analyses of 1a, 1b and 2b indicate that each skeleton of cyclic bicalicene, bicyclic tercalicene, and presumably tricyclic tetracalicene takes almost a complete planar structure. Based on the $^{1}{\rm H-}$ and $^{13}{\rm C-NMR}$ results peripheral 16-, 22-, and 28- $^{13}{\rm m}$ conjugations have an unexpectedly small contribution for 1a, 2a, and 3a, respectively, and rather a large polarization of each calicene unit occurs irrespectively of kinds of cyclic polycalicenyls. This conclusion was also supported by modified SCF MO and graph-theoretical calculations.

INTRODUCTION

Perturbation MO method can predict aromaticity in even nonalternant polycyclic systems containing two or more nonadjacent odd-nonnumbered rings. For typical examples pentalene (ref. 1), azulene, and heptalene (ref. 2) can be derived by intramolecular union from their corresponding even alternant monocyclic polyenes, [8]-, [10]-, and [12]-annulenes, respectively, that form their perimeters. Since the union takes place between atoms of like party in an even alternant system, it leads to no first-order change in π -binding energy. Accordingly, pentalene, azulene, and heptalene should be regarded as a slightly perturbed version of [8]-, [10]- (ref. 3), and [12]-annulenes (ref. 4), respectively, with essential single bond character of new bonds. In fact, these even nonalternant bicyclic systems resemble their original even alternant monocyclic systems in both stability and reactivity (pentalene, heptalene, [8]- and [12]-annulenes: antiaromatic; azulene and [10]annulene; aromatic). The analogous argument might of course be applied to [16]annulene (ref. 5) and its possible polycyclic systems, one of which is cyclic bicalicene (1a), an objective compound discussed here. In addition to 1a, its next higher analogs, bicyclic tercalicene (2a) and tricyclic

tetracalicene ($\underline{3a}$) were also successfully synthesized and their electronic structures were examined on the basis of $^1\mathrm{H-}$ and $^{13}\mathrm{C-NMR}$ spectroscopies, X-ray structure analyses, and MO and graph-theoretical calculations in order to clarify whether $\underline{1a}$ is antiaromatic as expected.

?

CYCLIC BICALICENE

By the reaction of 1,2-bis(tert-butylthio)-3,3-dichlorocyclopropene (4) obtained by thionyl chloride treatment of bis(tert-butylthio)cyclopropenethione (5) with $\overline{1}$ ithium cyclopentadienide (2 equiv.) bis(tert-butylthio)derivative of $\underline{1}a$ ($\underline{1}b$) was obtained as reddish purple crystals (mp 190-200 °C (dec)) in 10% yield. Subsequent reaction of $\underline{1}b$ with tri-n-butyltin hydride (3 equiv.)/2,2'-azoisobutyronitrile (1 equiv.) in hot chlorobenzene gave $\overline{3}$,11-bis(tri-n-butylstannyl)cylic bicalicene ($\underline{1}c$) (orange crystals, mp 60-61 °C) in 88%. Treatment of $\underline{1}c$ with sodium methoxide (0.1 equiv.) in benzene-methanol (1:1, v/v) afforded $\underline{1}a$ as orange plates (mp 125-130 °C (dec)) in 98% yield (ref. 6). In contrast with calicene, a dream compound still now, $\underline{1}a$ is unexpectedly stable even in air.

Their X-ray analyses were performed. The molecular structures of \underline{la} and \underline{lb} are shown by the \underline{ORTEP} drawing in Figure 1. The outer 16-membered ring is nearly planar, the mean atomic




Fig. 1. ORTEP Drawings of la and lb.

deviation from the least-squares plane (Δ) being 0.023 and 0.026 Å for <u>la</u> and <u>lb</u>, respectively. The inner 8-membered ring makes a complete plane (Δ =0.003 and 0.006 Å for <u>la</u> and <u>lb</u>, respectively). The dihedral angles between the 8- and 5-membered ring planes, and the 8- and 3-membered ring planes are 0.6 and 0.8° for <u>la</u> and 1.6 and 4.5° for <u>lb</u>, respectively. Thus, the cyclic bicalicene skeleton has a planar molecular structure, although the molecular planarity is higher in <u>la</u> than <u>lb</u>. The bond distances and angles of chemically equivalent but crystallographically independent parts show good coincidences for both <u>la</u> and <u>lb</u>: the mean differences for bond distances and angles are 0.005 Å and 0.4° for <u>la</u>, and 0.007 Å and 2.3° for <u>lb</u>, respectively. Consequently, both <u>la</u> and <u>lb</u> are essentially of D_{2h} symmetry, although there is some deformation due to steric bulkiness of two <u>tert</u>-butylthio substituents.

The IR spectra of $\underline{1a}$ and $\underline{1b}$ revealed characteristic of the methylenecyclopropene double bonds absorptions at $181\overline{5}$ and $1\overline{5}55$ cm⁻¹, and 1782 and 1550 cm⁻¹, respectively. In the ^{1}H -NMR spectra of $\underline{1a}$ and $\underline{1b}$ the 5-membered ring protons appeared at δ 7.11 (d, 4H, J=3.66 Hz) and 6.58 (t, 2H, J=3.66 Hz) for $\underline{1a}$, and 6.87 (d, 4H, J=3.8 Hz), and 6.40 (t, 2H, J=3.8 Hz) for $\underline{1b}$, respectively. On the other hand, the 3-membered ring proton of $\underline{1a}$ appeared as singlet at $\overline{\delta}$ 7.91. These ^{1}H chemical shifts clearly indicate no upfield shift due to a paramagnetic ring current expected from peripheral 16π conjugation. The ^{13}C -NMR spectra were composed of five signals due to cyclic bicalicene skeletal carbons: δ 135.9, 128.2, 127.5, 123.0, 109.0 for $\underline{1b}$ and 140.9, 130.5, 124.7, 117.8, 110.2. The detailed examination of the

shifts of $\underline{1a}$ provides valuable information on the electronic structure of the cyclic bicalicene system. The 3-membered ring carbons (δ 117.8, 140.9) appear at lower field than the unsaturated carbon of cyclopropene (δ 108.7). The lower-field shift is not beyond the value of the cyclopropenium ion (δ 175.9). On the other hand, the 5-membered ring carbons (δ 100.2, 124.7, 130.5) are observed at higher field as compared with the olefinic carbons of cyclopentadiene (δ 133.3 and 132.8). The highest-field shift is not upfield shifted beyond the value of cyclopentadienide (δ 102.0). The degree of polarization on each calicene unit of $\underline{1a}$, can be estimated from the $\underline{^{13}C}$ chemical shifts of carbon atoms in cyclopropene, cyclopropenium ion, cyclopentadiene, and cyclopentadienide. The average $\underline{^{13}C}$ chemical shifts of carbon atoms in 3- and 5-membered rings of $\underline{1a}$ are δ 133.2 and 121.2, respectively. The 100% polarization of calicene in $\underline{1a}$ corresponds to the cyclopropenium-cyclopentadienide structure, and the cyclopropene-cyclopentadiene structure is regarded as a nonpolar structure. Thus, each calicene unit in $\underline{1a}$ involves 36-45% polarization, assuming that there is a linear relationship between the degree of calicene polarization and the average $\underline{^{13}C}$ chemical shifts of the 3- and 5-membered ring carbons. The degree of polarization estimated in this manner is nearly consistent with that (51-52%) obtained by modified Pariser-Parr-Pople type SCF MO calculations. Consequently, both a covalent structure with peripheral 16π conjugation and a polar structure with a positive charge at the 3-membered ring and a negative charge at the 5-membered ring, respectively, contribute to the ground state of $\underline{1a}$ in almost 50% each (ref. 7).

BICYCLIC TERCALICENE AND TRICYCLIC TETRACALICENE

Two next higher analogs of la, 2a and its 3,19-bis(tert-butylthio)-substituted derivative (2b), and 3,18-bis $(\underline{\text{tert}}$ -butylthio)-substituted derivative (3b) of 3a, in which three or four calicene units are joined each other in a head-to-tail manner, were also successfully prepared. 3-Cyclopentadienyl-11-(tert-butylthio)cyclic bicalicene (14) (reddish purple crystals, mp 197-199 °C) was a key starting material, which was obtained by the reaction of 1b with lithium cyclopentadienide (20 equiv.) in 82% yield. By the reaction of 14 with LDA $\overline{(2 \text{ equiv.})}$ and then with 4 2b was obtained as dark green crystals (mp 195-205 °C (dec)) in 11% yield. The similar method used for the conversion of $\underline{1b}$ to $\underline{1a}$ was also applied to the conversion of $\underline{2b}$ to $\underline{2a}$. Thus, heating a chlorobenzene solution of $\underline{2b}$, tri-n-butyltin hydride (10 equiv.) and 2,2'-azobisisobutyronitrile (3 equiv.) for 5-10 min at 110 $\overline{}$ C, gave 3,19-bis(tri- \underline{n} -butyltin)-substituted derivative $(\underline{2c})$ (8%), and by subsequent treatment of $\underline{2c}$ with an excess of acetic acid in methanol-benzene (1:1, v/v) 2a was obtained (59%) as dark brown crystals (mp 110-115 °C (dec)) (ref. 8). On the other hand, 3b was isolated as a black solid (mp 186-200 °C (dec)) in overall yield of 10% by the following four-step reactions: (1) deprotonation of 15 with LDA, (2) reaction of the resultant cyclopentadienide with 8, (3) iodomethane treatment, and finally (4) ring-closure of bis(cyclic bicalicene) with elimination of tert-butyl mercaptan (ref. 9). The conversion of 3b to 3a is still now unsuccessful because of both very poor production of 3,18-bis(tri-n-butyltin)-substituted derivative and remarkable thermal and acid instability of 3a. In consequence of several attempts to obtain single crystals of $\frac{2a}{b}$, $\frac{2b}{b}$ and $\frac{3b}{b}$ for X-ray structure analysis, it was successful only for $\frac{2b}{b}$. Very interestingly, the crystal lattice of $\frac{2b}{b}$ includes two crystallographically independent molecules, (2b-1) and 2b-2, as shown by <u>ORTEP</u> drawing in <u>Figure 2</u>. The bicyclic tercalicene skeleton takes almost a complete planar structure in both molecules. The remarkable difference between the molecules is the relative position of two <u>tert-butylthio</u> substituents: syn for $\underline{2b-1}$ and anti for $\underline{2b-2}$, respectively. In spite of the $\overline{\text{limited}}$ accuracy for the interatomic bond distances, the X-ray analysis revealed the following characteristic features in both molecules: (1) the pinch bond of the central calicene, $C(2\bar{3})-C(24)$, is longer than those of outer ones, (2) the C(1)-C(19) and C(12)-C(16) bonds are the longest in the 5-membered




Fig. 2. <u>ORTEP</u> Drawings of two crystallographically independent molecules, syn-<u>2b</u> and anti-<u>2b</u>.

rings of outer calicenes, (3) the C(2)-C(4) and C(9)-C(11) bonds are longer or equal to the other bonds in the 3-membered rings of outer calicenes, (4) the C(6)-C(7) bond is the shortest in the 5-membered ring of central calicene, and (5) the C(17)-C(18) bond is longer than the other bonds in the 3-membered ring of central calicene.

The $^1\text{H-}$ and $^{13}\text{C-NMR}$ spectra of 14 and 24 and 35 were measured and compared with those of 14 and 15 . The ^{1}H chemical shifts of 14 and 24 and 24 , and of 15 , 25 and 35 are shown in Figure 3. Obviously there is almost no change in the chemical shifts of corresponding 3- and 5-membered ring protons between 1 , 2 and 3 . This result indicates no significant symptom of diamagnetic and paramagnetic ring currents induced by the peripheral 22 - and 28 -m conjugations also in 24 and 36 , respectively, as there was realized no paramagnetism in 13 . Figure 4 summarizes the 13 C NMR chemical shifts of 14 , 15 , 24 and 25 . The 13 C NMR spectrum of 35 was also measured, which revealed 16 signals in correspondence with a tricyclic tetracalicene skeleton. Howev-

Fig. 3. 1 H Chemical shifts of $\frac{1a}{a}$, $\frac{2a}{a}$, $\frac{1b}{b}$, $\frac{2b}{a}$, and $\frac{3b}{a}$.

$$\begin{array}{c} 112.4 \\ 109.3 \\ 124.3 \\ 121.9 \\ 131.6 \\ 131.5 \\ 130.5 \\ 130.5 \\ 133.7 \\ 114.5 \\ 126.0 \\ 120.9 \\$$

er, reasonable assignment is not still accomplished. The chemical shifts of both inner and outer 3-membered and outer 5-membered ring carbons of 2a and 2b are almost the same to those of la and lb. However, the situation is remarkably different for the inner 5-membered ring carbons. Thus, the three carbons connected by 3-membered rings showed their chemical shifts at the fairly higher field as compared with those of the remaining two carbons, strongly suggesting the preferential localization of a negative charge at the connected part. Furthermore, the average chemical shifts of each 3- and 5-membered rings were calculated to be 120.3 (119.3), 121.9 (120.5), 131.9 (131.4), and 133.7 (133.0) for central and terminal 5and 3-membered rings of $\underline{2a}$ ($\underline{2b}$), respectively. When these values are considered together with those of $\underline{1a}$ (121.2 and 133.2 for the 5- and 3-membered rings, respectively) and $\underline{1b}$ (119.2 and 133.3), both central and terminal calicene units in $\frac{2}{2}$ are polarized by ca. $\frac{1}{2}$ 50%, and the degree of polarization is almost close to that of 1. In conclusion, alike la 2a also has important contribution of a polar structure with a somewhat different structure from that of la. On the other hand, as for covalent structures such a 16π -conjugated structure as is participating in la is predominant rather than a peripheral 22π -conjugated structure. Eventually, 2a is stabilized by the two cyclic bicalicene type of conjugations, laying again great emphasis on the remarkable stabilization of a cyclic bicalicene system. Presumably, the similar conclusion can be also brought to 3a, in view of the 1H NMR and graph-theoretical calculation results.

REDOX

It is well documented that for antiaromatic systems conversion to the corresponding aromatic systems by oxidation or reduction progresses favorably in energy, while the reverse case is energetically remarkably unfavorable. Therefore, investigation on redox of cyclic polycalicenyls can provide strong informations to understanding of their electronic structures. The cyclic voltammetric measurement of $\frac{1}{10}$, $\frac{2b}{10}$ and $\frac{3b}{10}$ was carried out in CH₂Cl₂-CH₃CN (2:3, v/v) at -70 °C under Ar atmosphere (ref. $\frac{10}{10}$). The redox potentials obtained in the voltage range of +2.0 ~ -2.0 V vs. Ag/AgCl are shown in $\frac{Table\ I}{10}$, along with the values of [16]- (ref. 11) and [18]-annulenes (ref. 12) for comparison. Reversible waves appeared in their reductions, while the waves in their oxidations were irreversible, indicating that their radical anions and dianions are stable as compared with their radical cations and

	Redox potential ^a			
	E ₁	E ₂	E ₃	E ₄
16 ^b	+ 1.16 ^d	+ 0.97 ^d	- 1.77	— в
2b ^b	+ 0.70 ^d	+ 0.49 ^d	- 1.33	- 1.75
3b ^b	+ 0.85 ^d	+ 0.47 ^d	- 1.14	- 1.49
[16] annulene ^c			- 1.23	- 1.52
[18] annulene ^c			- 1.56	- 1.90

Table I. Redox potentials of 1b, 2b, 3b, and their related [16]- and [18]-annulenes.

dications. From comparison of the potentials between 1b, 2b and 3b, both oxidation and reduction tend to become easier in the order of 1b, 2b and 3b, irrespectively of [4n]- and $[4n+2]-\pi$ conjugations in periphery. This makes \overline{a} marked contrast with the case of [16]- and [18]-annulenes, in which [16]-annulene is more reduced to its radical and dianion than [18]-annulene in spite of the smaller π conjugation system. If peripheral 16-, 22-, and 28- π conjugations had significant contribution to the ground state of $\underline{1a}$, $\underline{2a}$ and $\underline{3a}$, respectively, a regular change in the potentials should be recognized. That is really not true. Furthermore, the second reduction potential of 1b is remarkably high (<-2.5 V), where the corresponding diamion is produced, a very stable aromatic system if a peripheral 18π conjugation is efficient. An analogous argument can be also applied to the oxidation of 1b. These results are consistent with before mentioned NMR results that indicate large polarization of each calicene unit in cyclic polycalicenyls.

THEORETICAL CONSIDERATION

The characteristics of electronic structures of cyclic polycalicenyls were investigated by using the SCF MO and graph-theoretical calculations. The electron density distributions of $\frac{1a}{7}$, $\frac{2a}{8}$ and $\frac{3a}{7}$ were calculated by the modified Pariser-Parr-Pople type of SCF MO method (ref. $\frac{7}{7}$, $\frac{8}{7}$, $\frac{9}{7}$). The calculation results show that a considerably large polarization of each calicene unit occurs in any cyclic polycalicenyl. The degree of polarization is almost 50% irrespectively of number of calicene units and inner or outer position of a calicene unit. The analogous conclusion was also derived from the graph-theoretical calculations, in which resonance energies (RREs) of 3- and 5-membered constituent rings contribute significantly to the overall resonance energy of cyclic polycalicenyls. Table II summarizes resonance energies of la, 2a, 3a and their related m-conjugated hydrocarbon systems calculated by the ω -technique method, in which ω =1.4 was used (ref. 13). Also included in the Table are their percent resonance energies (%REs), the values defined as 100 times the resonance energies divided by the energies of the "localized" reference structures (ref. 14). This %RE value is quite consistent with experimental stability for a variety of π -conjugated hydrocarbon systems: generally stable for %RE>0.50 and extremely unstable for %RE<-0.50. The %RE values of 1a, 2a and 3a are 0.87, 0.63 and 0.57, respectively, indicating that three cyclic polycalicenyls are indeed aromatic systems, although aromatic stabilization tends to decrease as increasing the number of calicene units. In contrast with these cyclic polycalicenyls, calicene itself is not aromatic and has rather an olefinic character, as indicated by its smaller %RE value (0.36) than 0.5. Another isomer of la, in which two calicene units are joined in a head-to-head manner, has a large and negative %RE value (-0.848). The graph-theoretical calculations are of great advantage to understanding the role of each constituent ring contributing to overall resonance stabilization of such polycyclic π -conjugated systems as cyclic polycalicenyls. For \underline{la} there are only 11 possible constituent rings, but the numbers increase to 60 and 200 for $\frac{2a}{a}$ and $\frac{3a}{a}$, respectively. Therefore, only significant constituent rings were picked up for 2a and 3a and their RRE values were compared with each other. The RRE values of 3- and 5-memebered rings composing of calicene were also obtained for comparison with those of cyclic polycalicenyls. The followings can be pointed out: (1) 3- and 5-membered rings make most important contribution to overall resonance stabilization of cyclic polycalicenyls; (2) the RRE's of 3- and 5-membered rings contained in each cyclic polycalicenyl are large (0.14-0.188) as compared with those of calicene (0.04-0.068); (3) aromatic or antiaromatic peripheral 16-, 22- and $28-\pi$ conjugations are negligibly small. In view of these results, it is exaggeratedly said that cyclic polycalicenyls are stabilized by polarization of each calicene unit, even if this conclusion must

a) V vs. Ag / AgCl. b) Measured in CH_2CI_2 - CH_3CN (2:3 v / v) at -70 °C. c) Measured in DMF at 0 °C. d) Irreversible steps. Anodic peak potentials. e) Not observed within -2.5V.

	RE, β ^a	% RE b	
1a	0.193	0.87	_
2a	0.214	0.63	
3a	0.257	0.57	
	0.038	0.36	
	-0.188	-0.848	

Table II. Resonance energies (REs) and percent resonance energies (%REs) of $\underline{1a}$, $\underline{2a}$, $\underline{3a}$, calicene, and another isomer of $\underline{1a}$.

be taken into consideration with care, since the graph-theoretical calculations are essentially based on Hückel MO method.

CONCLUSIONS

On the contrary to prediction from perturbation MO method cyclic polycalicenyls are undoubtedly aromatic. The main causes arises out of a large polarization of each calicene unit producing two stable aromatic systems of cyclopropenium ion (2π) and cyclopentadienide (6π) . Nevertheless, it must be taken into consideration that a peripheral 16π conjugation has also significant contribution to the ground state of any cyclic polycalicenyl. Very recently, ESR study gave distinct evidence of such a participation. The chemistry of cyclic polycalicenyls is now in an important position to solving problems of π conjugation modes and possible participation of biradical structure in nonalternant polycyclic systems. On the ground of space limitation there was no description for a number of interesting reactions of cyclic polycalicenyls. The results will be reported in due time.

Acknowledgement

The authors are greatly indebted to the late Prof. Shigeo Yoneda who has made a significant contribution at the initial stage of this work, and also Prof. Nobutami Kasai, Prof. Yasushi Kai, Prof. Tsunetoshi Kobayashi, Prof. Jun-ichi Aihara, Dr. Mitsuhiro Shibata, Mr. Akihiko Sakai, Mr. Hiroshi Ando, Mr. Yoshihisa Arai, and Mr. Masashi Sakaguchi for their kind and active collaborations.

REFERENCES

- R. Bloch, R. A. Marty, and P. de Mayo, J. Am. Chem. Soc., 93, 3071 (1971).
 H. J. Dauben, Jr. and D. J. Bertelli, J. Am. Chem. Soc., 83, 4659 (1961).
- 3. E. E. van Tamelen and T. L. Burkoth, J. Am. Chem. Soc., 89, 151 (1967); S. Masamune and R. T. Seidner, Chem. Commun., 542 (1969); E. E. van Tamelen, T. L. Burkoth, and R. H.
- Greeley, J. Am. Chem. Soc., 93, 6120 (1973). 4. J. F. M. Oth, H. Rottele, and G. Schröder, <u>Tetrahedron Lett.</u>, 61 (1970); J. F. M. Oth, J. M. Gilles, and G. Schröder, Tetrahedron Lett., 67 (1970).
- F. Sondmeimer and Y. Gaoni, J. Am. Chem. Soc., 83, 4863 (1961).
 S. Yoneda, M. Shibata, S. Kida, Z. Yoshida, Y. Kai, K. Miki, and N. Kasai, Angew. Chem., 96, 75 (1984); Angew. Chem. Int. Ed. Engl., 23, 63 (1984).
 T. Sugimoto, M. Shibata, S. Yoneda, Z. Yoshida, Y. Kai, K. Miki, N. Kasai, and T. Kobayashi, J. Am. Chem. Soc., 108, 7032 (1986).
 T. Sugimoto, M. Shibata, A. Sakai, F. Iwasaki, H. Ando, Y. Arai, Z. Yoshida, Y. Kai, and
- N. Kasai, submitted for publication.
- 9. T. Sugimoto, M. Sakaguchi, A. Sakai, Y. Arai, and Z. Yoshida, submitted for publication.
- 10. T. Sugimoto, Y. Arai, H. Ando, M. Sakaguchi, Z. Yoshida, and J. Yamauchi, submitted for publication.
- 11. J. F. M. Oth, H. Baumann, J. M. Gilles, and G. Schröder, J. Am. Chem. Soc., 94, 3498 (1972).
- 12. J. F. M. Oth, E. P. Woo, and F. Sondmeimer, <u>J. Am. Chem. Soc.</u>, <u>95</u>, 7337 (1973). 13. J. Aihara, <u>J. Am. Chem. Soc.</u>, <u>98</u>, 2750 (1976); <u>Bull. Chem. Soc.</u> <u>Jpn.</u>, <u>53</u>, 2689 (1980);
- Pure Appl. Chem., 54, 1115 (1982).

 14. J. Aihara, J. Am. Chem. Soc., 101, 5913 (1979); J. Aihara and T. Horikawa, Bull. Chem. Soc. Jpn., 56, 1853 (1983).